

Method and computer system for refreshing client-data

Publication number: EP1318461 (A1)

Publication date: 2003-06-11

Inventor(s): CHERDRON MARKUS [DE]; GANGADHARAPPA KIRAN [US] +

Applicant(s): SAP AG [DE] +

Classification:

- international: G06F17/30; G06F17/30; (IPC1-7): G06F17/30

- European: G06F17/30W9C

Application number: EP20010129086 20011207

Priority number(s): EP20010129086 20011207

Cited documents:

US6199082 (B1)

US6003087 (A)

EP1016687 (A2)

US6289347 (B1)

XP002157526 (A)

Abstract of EP 1318461 (A1)

Computer-implemented method and computer system for refreshing client-data. A client (300) provides a) a predefined layout document (160-1) and b) predetermined client-data (150-T1) stored in a client-data cache (920-1). The layout document (160-1) uses the client-data (151) via predefined client-side application independent functions (100-1). The client (300) receives a sync-request (980-1) to synchronize the client-data (150) with corresponding server-data (151) of a server (901). The client (300) creates a client-data descriptor (170). The server (901) generates a server-data descriptor (171) that is dependant on the client-data descriptor (170), a server-side copy of predefined client-data (150-T0) and the server-data (151). The client (300) updates the predetermined client-data (150-T1) in the client-data cache (920-1) according to the server-data descriptor (171). The client-data (150-T1), the client-data descriptor (170) and the server-data descriptor (171) have a browser independent format.




FIG. 3A

Data supplied from the **espacenet** database — Worldwide